



# Storm Deluxe Water Proof Timber Planks

*Engineered Rigid Core Flooring*

**72 hours | 360° Water Proof Warranty**



TOPDECK FLOORING

---

## Topdeck Flooring

As a leading flooring wholesaler in Australia, we declare that all products imported by Topdeck Flooring are legally sourced and logged from sustainable managed forests. All of our partners and factories are held with FSC or PEFC Chain of Custody Certifications and our product is purchased within scope of certifications.



- Real hardwood wear layer for authentic beauty
- Finish protects wood against moisture & wear
- Dense core reinforces wood & resist indentation
- More stable than engineered wood & WPC
- Attached pad improves acoustics & comfort
- Can easily withstand repeated wet mopping

Proud to be a Member of the



---

# STORM DELUXE WATER PROOF TIMBER PLANKS



**S**TORM DELUXE Water Proof Timber Planks, represents the next generation of Hybrid Flooring which combines multi layers of rigid core with real hardwood. Thanks to the latest technology and innovation which deliver us a true master piece of water proof Engineered Timber flooring, so it allows us to enjoy the timeless and natural beauty of timber flooring without worrying about water (72 Hours Guaranteed Warranty).

The excellent performance characteristics of Engineered Rigid Core make the floor dimensionally stable with little or no movement. And the water proof Sealant on hardwood veneer protects the floor against damage from liquids and spills.

Also, every plank is processed with latest innovative LED UV Coating, scuff-resistant technology to against everyday use. And the application of world's latest Negative Ion Technology on the surface of each plank enables the floor to continuously release tourmaline into the air, which contributes to human body circulation, mental alertness, stress relief, and immune system strength. Moreover, the pre-attached Cork pad helps to reduce noise and bring comfort walking feelings, which provides a true solid timber experience.





# Negative Ion Technology



## Negative Ion

As you know, home furniture and building materials continually release some extent of formaldehyde and other volatile organic compounds, including most of the odors, bacteria, smoke etc. In the air, they are all positively charged and we call them positive ions, which are harmful to human health.

Under normal temperature and normal conditions, water and oxygen in the air cannot be negatively charged to negative ions. However, under the action of strong electromagnetic field, this kind of transformation occurs.

The reason why Topdeck's Negative Ion Technology floor can produce negative ions is that during the production process, a layer of material with positive and negative electrodes is attached to the floor surface, which is called negative ion catalyst (common name is 'tourmaline'). The water in the air enters the electromagnetic field formed by the positive and negative electrodes, it will turn into negative ions, which can be neutralized by the positive ions until there is no charge, and make the air purified.





**European Oak Grade:** ABCD Grade

**Janka Rating:** 6.8

**Origin:** France

**Dimensions:** 1900mm x 190mm x 8.5mm  
(1.2mm Oak Veneer + 5.8mm Multilayer Rigid Core  
+ 1.5mm Cork/IXPE)



Ivory White

1801

Ivory White



**European Oak Grade:** ABCD Grade

**Janka Rating:** 6.8

**Origin:** France

**Dimensions:** 1900mm x 190mm x 8.5mm  
(1.2mm Oak Veneer + 5.8mm Multilayer Rigid Core  
+ 1.5mm Cork/IXPE)



1802

White Cotton





**European Oak Grade:** ABCD Grade

**Janka Rating:** 6.8

**Origin:** France

**Dimensions:** 1900mm x 190mm x 8.5mm  
(1.2mm Oak Veneer + 5.8mm Multilayer Rigid Core  
+ 1.5mm Cork/IXPE)



Oak Natural

1803

Oak Natural



**European Oak Grade:** ABCD Grade

**Janka Rating:** 6.8

**Origin:** France

**Dimensions:** 1900mm x 190mm x 8.5mm  
(1.2mm Oak Veneer + 5.8mm Multilayer Rigid Core  
+ 1.5mm Cork/IXPE)



Danish Grey

1804

Danish Grey





**European Oak Grade:** ABCD Grade

**Janka Rating:** 6.8

**Origin:** France

**Dimensions:** 1900mm x 190mm x 8.5mm  
(1.2mm Oak Veneer + 5.8mm Multilayer Rigid Core  
+ 1.5mm Cork/IXPE)



Coastal Brown

1805

Coastal Brown



**European Oak Grade:** ABCD Grade

**Janka Rating:** 6.8

**Origin:** France

**Dimensions:** 1900mm x 190mm x 8.5mm  
(1.2mm Oak Veneer + 5.8mm Multilayer Rigid Core  
+ 1.5mm Cork/IXPE)



Moon Grey

1806

Moon Grey



**European Oak Grade:** ABCD Grade

**Janka Rating:** 6.8

**Origin:** France

**Dimensions:** 1900mm x 190mm x 8.5mm  
(1.2mm Oak Veneer + 5.8mm Multilayer Rigid Core  
+ 1.5mm Cork/IXPE)



**French Mocha**

**1807**

**French Mocha**






**Timber Grade:** Standard and Better Grade

**Janka Rating:** 11

**Origin:** Australia

**Dimensions:** 1900mm x 190mm x 8.5mm  
(0.6mm Timber Veneer + 6.4mm Multilayer Rigid Core + 1.5mm Cork/IXPE)



Spotted Gum

1808

Spotted Gum




**Timber Grade:** Standard and Better Grade

**Janka Rating:** 9.1

**Origin:** Australia

**Dimensions:** 1900mm x 190mm x 8.5mm  
(0.6mm Timber Veneer + 6.4mm Multilayer Rigid Core + 1.5mm Cork/IXPE)



1809

Blackbutt



**Timber Grade:** Standard and Better Grade

**Janka Rating:** 8.5

**Origin:** Australia

**Dimensions:** 1900mm x 190mm x 8.5mm  
(0.6mm Timber Veneer + 6.4mm Multilayer Rigid Core + 1.5mm Cork/IXPE)



Jarrah

1810

Jarrah



# STORM DELUXE WATER PROOF TIMBER PLANKS

## TECHNICAL SPECIFICATIONS

ISO9001

ISO14001



UNICLIC®

### TYPE

Real Wood Veneer + Engineered Rigid Core

### INSTALLATION METHOD

Licensed Locking Technology  
(Uniclic Locking System)

### DIMENSIONS

1900mmx190mmx8.5mm

### BOX CONTAINS

5 Planks = 1.805m<sup>2</sup>/box

### SLIP RATING

P2 Rating - Wet Pendulum Slip Resistance Test

### FIRE RATING

CHF (Critical Heat Flux & Critical Radiant Flux)  
5.2kw/m<sup>2</sup>

### PRODUCTION METHODS

German Manufacturing Technology

### ENVIRONMENTAL & QUALITY CERTIFICATES


VOC E0 (Volatile Organic Compound)  
ISO 9001 (Quality Assured Firm)  
ISO 14001 (Environmental Assured Firm)

### COATING WARRANTY

5 Year Residential; 3 Years Commercial

### STRUCTURAL WARRANTY

Life Time Structure Warranty  
(Please Refer to Storm Deluxe Water Proof Timber Warranty)



quick and easy installation



slip resistance



glue-free installation



easy maintenance



abrasion resistance



color fastness to light



resistance to cigarette ash



warm to the touch



resistance to water



indentation resistance



static resistance



high elasticity

Combining quality & environmental control standards throughout the manufacturing process.



Note: Colour grain & feature patterns may vary from the actual product to the electronic and printed media.  
For detail maintenance & installation guidelines please refer to the website.



*Quality is our attitude, as we are  
always striving to meet and exceed  
our customers expectations.*



**TOPDECK FLOORING**

**[www.topdeckflooring.com.au](http://www.topdeckflooring.com.au)**

Importer & Supplier of Quality Floor Boards

16 Salisbury Street, Silverwater, NSW 2128 Australia

Phone: 02-9748 2288 | Fax: 02-9748 2266

Email: [info@topdeckflooring.com.au](mailto:info@topdeckflooring.com.au)